

Date received: 05/02/16

Date of issue: 04/03/16

Report consists of 9 test reports.

Defects before testing: None

Sample name: K12 SYSTEM LIFT UP WITH KIMANA HINGES

FERRAMENTA LIVENZA S.R.L.
VIALE L. ZANUSSI 21
33070 MARON DI BRUGNERA (PN)
ITALIA

SAMPLE N° 209431

Overall dimensions: 600 x 320 x 350 (h) mm

List performed tests:

1. 1st Vertical downwards static load test EN 15828:2010, clause 6.3.3
2. 1st Horizontal sideways static load test EN 15828:2010, clause 6.3.4
3. Durability test EN 15828:2010, clause 6.3.6
4. 2nd Vertical downwards static load test EN 15828:2010, clause 6.3.8
5. 2nd Horizontal sideways static load test EN 15828:2010, clause. 6.3.9
6. Slam shut test EN 15828:2010, clause 6.3.11
7. Vertical downwards static overload test EN 15828:2010, clause 6.2.1
8. Horizontal sideways static overload test EN 15828:2010, clause 6.2.2
9. Overload slam shut/open test EN 15828:2010, clause 6.2.3



This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

SAMPLE N° 209431

Date of issue: 04/03/16
Sample weight: Not determined
Overall dimensions: 600 x 320 x 350 (h) mm
Sample name: K12 SYSTEM LIFT UP WITH KIMANA HINGES



Unit tested

TEST REPORT

209431 / 1

Date received: 05/02/16
Date of test: 24/02/16
Date of issue: 04/03/16



Sample name: K12 SYSTEM LIFT UP WITH KIMANA HINGES

FERRAMENTA LIVENZA S.R.L.
VIALE L. ZANUSSI 21
33070 MARON DI BRUGNERA (PN)
ITALIA

1st Vertical downwards static load test EN 15828:2010, clause 6.3.3

Type of flap: top hinged flap, with 2 horizontal axis hinges and 2 pistons
Flap dimensions: 600 x 19 x 350 (height) mm
Flap material: wood based panel
Flap mass: 2,4 kg

Test results:

Vertical force (N)	Load application point	Number of cycles	Time of load application (s)	Remarks
50	Right corner	5	13	No defects *
50	Left corner	5	13	No defects *

Note:

- The test has been carried out according to Table B.3 (annex B) of EN 15828:2010, test level 3
- * Test results comply with requirements of EN 15828:2010, clause 6.3.3

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Glaven

TEST REPORT

209431 / 2

Date received: 05/02/16
Date of test: 24/02/16
Date of issue: 04/03/16



Sample name: K12 SYSTEM LIFT UP WITH KIMANA HINGES

FERRAMENTA LIVENZA S.R.L.
VIALE L. ZANUSSI 21
33070 MARON DI BRUGNERA (PN)
ITALIA

1st Horizontal sideways static load test EN 15828:2010, clause 6.3.4

Clause 6.3.4.1 Top hinged flaps

Type of flap: top hinged flap, with 2 horizontal axis hinges and 2 pistons
Flap dimensions: 600 x 19 x 350 (height) mm
Flap material: wood based panel
Flap mass: 2,4 kg

Test results:

Horizontal force (N)	Load application point	Number of cycles	Time of load application (s)	Remarks
50	Right side	5	13	No defects *
50	Left side	5	13	No defects *

Note:

- The test has been carried out according to Table B.3 (annex B) of EN 15828:2010, test level 3
- * Test results comply with requirements of EN 15828:2010, clause 6.3.4.1

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

TEST REPORT

209431 / 3

Date received: 05/02/16
Date of test: 24/02/16
Date of issue: 04/03/16



Sample name: K12 SYSTEM LIFT UP WITH KIMANA HINGES

FERRAMENTA LIVENZA S.R.L.
VIALE L. ZANUSSI 21
33070 MARON DI BRUGNERA (PN)
ITALIA

Durability test EN 15828:2010, clause 6.3.6

Type of flap: top hinged flap, with 2 horizontal axis hinges and 2 pistons
Flap dimensions: 600 x 19 x 350 (height) mm
Flap material: wood based panel
Flap mass: 2,4 kg

Flap width (W): 600 mm
Maximum allowable flap sagging: 3 mm (0,5% di W)
Maximum allowable opening/closing forces: ≤ 50 N for flaps with mass ≤ 10 kg
≤ 70 N for flaps with mass > 10 kg

Test results:

Number of cycles	Test rate (cycles/minute)	Opening force (N)		Closing force (N)		Flap sagging (mm)	Remarks
		Initial	Final	Initial	Final		
40000	4	9	7	38	34	0	No defects *

Note:

- The test has been carried out according to Table B.3 (annex B) of EN 15828:2010, test level 3
- * Test results comply with requirements of EN 15828:2010, clause 6.3.2.2, 6.3.6, 6.3.7

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

TEST REPORT

209431 / 4

Date received: 05/02/16
Date of test: 03/03/16
Date of issue: 04/03/16



Sample name: K12 SYSTEM LIFT UP WITH KIMANA HINGES

FERRAMENTA LIVENZA S.R.L.
VIALE L. ZANUSSI 21
33070 MARON DI BRUGNERA (PN)
ITALIA

2nd Vertical downwards static load test EN 15828:2010, clause 6.3.8

Type of flap: top hinged flap, with 2 horizontal axis hinges and 2 pistons
Flap dimensions: 600 x 19 x 350 (height) mm
Flap material: wood based panel
Flap mass: 2,4 kg

Test results:

Vertical force (N)	Load application point	Number of cycles	Time of load application (s)	Remarks
50	Right corner	5	13	No defects *
50	Left corner	5	13	No defects *

Note:

- The test has been carried out according to Table B.3 (annex B) of EN 15828:2010, test level 3
- * Test results comply with requirements of EN 15828:2010, clause 6.3.8

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giayon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

TEST REPORT

209431 / 5

Date received: 05/02/16
Date of test: 03/03/16
Date of issue: 04/03/16



Sample name: K12 SYSTEM LIFT UP WITH KIMANA HINGES

FERRAMENTA LIVENZA S.R.L.
VIALE L. ZANUSSI 21
33070 MARON DI BRUGNERA (PN)
ITALIA

2nd Horizontal sideways static load test EN 15828:2010, clause. 6.3.9

Clause 6.3.9.1 Top hinged flaps

Type of flap: top hinged flap, with 2 horizontal axis hinges and 2 pistons
Flap dimensions: 600 x 19 x 350 (height) mm
Flap material: wood based panel
Flap mass: 2,4 kg

Test results:

Horizontal force (N)	Load application point	Number of cycles	Time of load application (s)	Remarks
50	Right side	5	13	No defects *
50	Left side	5	13	No defects *

Note:

- The test has been carried out according to Table B.3 (annex B) of EN 15828:2010, test level 3
- * Test results comply with requirements of EN 15828:2010, clause 6.3.9.1

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

TEST REPORT

209431 / 6

Date received: 05/02/16
Date of test: 03/03/16
Date of issue: 04/03/16



Sample name: K12 SYSTEM LIFT UP WITH KIMANA HINGES

FERRAMENTA LIVENZA S.R.L.
VIALE L. ZANUSSI 21
33070 MARON DI BRUGNERA (PN)
ITALIA

Slam shut test EN 15828:2010, clause 6.3.11

Clause 6.3.11.1 Top hinged flaps

Type of flap: top hinged flap, with 2 horizontal axis hinges and 2 pistons
Flap dimensions: 600 x 19 x 350 (height) mm
Flap material: wood based panel
Flap mass: 2,4 kg

Test results:

Minimum mass to start moving the flap: m1 (kg)	Test mass: m2 (kg)	Number of cycles	Remarks
2	1	10	No defects *

Note:

- The test has been carried out according to Table B.3 (annex B) of EN 15828:2010, test level 3
- * Test results comply with requirements of EN 15828:2010, clause 6.3.11.1

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

TEST REPORT

209431 / 7

Date received: 05/02/16
Date of test: 04/03/16
Date of issue: 04/03/16



Sample name: K12 SYSTEM LIFT UP WITH KIMANA HINGES

FERRAMENTA LIVENZA S.R.L.
VIALE L. ZANUSSI 21
33070 MARON DI BRUGNERA (PN)
ITALIA

Vertical downwards static overload test EN 15828:2010, clause 6.2.1

Type of flap: top hinged flap, with 2 horizontal axis hinges and 2 pistons
Flap dimensions: 600 x 19 x 350 (height) mm
Flap material: wood based panel
Flap mass: 2,4 kg

Test results:

Vertical force (N)	Load application point	Number of cycles	Time of load application (s)	Remarks
150	Right corner	10	13	No defects *
150	Left corner	5	13	No defects *

Note:

- The test has been carried out according to Table B.2 (annex B) of EN 15828:2010, test level 3
- * Test results comply with requirements of EN 15828:2010, clause 6.2.1

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Glavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

TEST REPORT

209431 / 8

Date received: 05/02/16
Date of test: 04/03/16
Date of issue: 04/03/16



Sample name: K12 SYSTEM LIFT UP WITH KIMANA HINGES

FERRAMENTA LIVENZA S.R.L.
VIALE L. ZANUSSI 21
33070 MARON DI BRUGNERA (PN)
ITALIA

Horizontal sideways static overload test EN 15828:2010, clause 6.2.2

Clause 6.2.2.1 Top hinged flaps

Type of flap: top hinged flap, with 2 horizontal axis hinges and 2 pistons
Flap dimensions: 600 x 19 x 350 (height) mm
Flap material: wood based panel
Flap mass: 2,4 kg


Test results:

Horizontal force (N)	Load application point	Number of cycles	Time of load application (s)	Remarks
100	Right side	5	13	No defects *
100	Left side	5	13	No defects *

Note:

- The test has been carried out according to Table B.2 (annex B) of EN 15828:2010, test level 3
- * Test results comply with requirements of EN 15828:2010, clause 6.2.2.1

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.


Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

TEST REPORT

209431 / 9

Date received: 05/02/16
Date of test: 04/03/16
Date of issue: 04/03/16



Sample name: K12 SYSTEM LIFT UP WITH KIMANA HINGES

FERRAMENTA LIVENZA S.R.L.
VIALE L. ZANUSSI 21
33070 MARON DI BRUGNERA (PN)
ITALIA

Overload slam shut/open test EN 15828:2010, clause 6.2.3

Clause 6.2.3.1 Top hinged flaps - Slam shut test

Type of flap: top hinged flap, with 2 horizontal axis hinges and 2 pistons
Flap dimensions: 600 x 19 x 350 (height) mm
Flap material: wood based panel
Flap mass: 2,4 kg

Test results:

Minimum mass to start moving the flap: m1 (kg)	Test mass: m2 (kg)	Number of cycles	Remarks
2	3	10	No defects *

Note:

- The test has been carried out according to Table B.2 (annex B) of EN 15828:2010, test level 3
- * Test results comply with requirements of EN 15828:2010, clause 6.2.3.1

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.